

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

THIS PAGE BLANK (USPTO)

09/0140

PCT/EP 00/01738

Eur päisches
PatentamtEuropean
Patent OfficeOffice européen
des brevets

EP00/1738

REC'D	06 APR 2000
WIPO	131

Bescheinigung

Certificate

Attestation

4

Die angehefteten Unterla-
gen stimmen mit der
ursprünglich eingereichten
Fassung der auf dem näch-
sten Blatt bezeichneten
europäischen Patentanmel-
dung überein.

The attached documents
are exact copies of the
European patent application
described on the following
page, as originally filed.

Les documents fixés à
cette attestation sont
conformes à la version
initialement déposée de
la demande de brevet
européen spécifiée à la
page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

99200638.7

PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

Der Präsident des Europäischen Patentamts:
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

I.L.C. HATTEN-HECKMAN

DEN HAAG, DEN
THE HAGUE,
LA HAYE, LE

24/03/00

THIS PAGE BLANK (USPTO)



Europäisches
Patentamt

European
Patent Office

Office eur péen
des brevets

Blatt 2 der Bescheinigung
Sheet 2 of the certificate
Page 2 de l'attestation

Anmeldung Nr.:
Application no.:
Demande n°: 99200638.7

Anmeldetag:
Date of filing: 05/03/99
Date de dépôt:

Anmelder:
Applicant(s):
Demandeur(s):
Akzo Nobel N.V.
6824 BM Arnhem
NETHERLANDS

Bezeichnung der Erfindung:
Title of the invention:
Titre de l'invention:

Esterquats, intermediates, process to make them, and their use

In Anspruch genommene Priorität(en) / Priority(ies) claimed / Priorité(s) revendiquée(s)

Staat:
State:
Pays:

Tag:
Date:
Date:

Aktenzeichen:
File no.
Numéro de dépôt:

Internationale Patentklassifikation:
International Patent classification:
Classification internationale des brevets:

C07C219/06, C07C219/08, C07C215/24, C11D1/62

Am Anmeldetag benannte Vertragsstaaten:
Contracting states designated at date of filing: AT/BE/CH/CY/DE/DK/ES/FI/FR/GB/GR/IE/IT/LI/LU/MC/NL/PT/SE
Etats contractants désignés lors du dépôt:

Bemerkungen:
Remarks:
Remarques:

THIS PAGE BLANK (USPTO)

ACR 2691 PDEP

ESTERQUATS. INTERMEDIATES. PROCESS TO MAKE THEM. AND THEIR USE

5

The Invention relates to specific quaternary ammonium compounds having at least one nitrogen-bonded moiety with at least one ester function, intermediates for making the compounds, compositions comprising one or more of these compounds, a process to make the compounds, as well as the use of such compounds as a fabric softener.

10

Quaternary ammonium compounds having a substituent on the nitrogen atom with two ester groups are known. Also compositions comprising such ammonium compounds are known. WO 97/47588, for instance, discloses how 2,3-dihydroxypropyl trimethyl ammonium chloride is reacted with lauric acid to form a composition comprising the corresponding diester quaternary compound, a propyl-diester-quat (PDQ).

15

20

The use of PDQ as a fabric softener is known to result in superior softening performance. However, the manufacture of these compounds is cumbersome and the raw material N,N-dimethyl-1-amino propane-2,3-diol is costly. Also, the epichlorohydrin that is typically used to make this raw material for PDQ is less desired from an environmental viewpoint. Furthermore, it is noted that the production of PDQ typically requires the use of a solvent, such as Isopropanol, In the quaternization reaction. However, such solvent can transesterify with the PDQ, resulting in the formation of a contaminant (the fatty acid ester of the solvent) and a reduction of the softening performance of the PDQ-containing product (because less diester compound is present). Therefore, there is a need for alternative compounds with a better price/performance that can be produced according to a process that puts less strain on the environment. Preferably, this

25

30

ACR 2891 PDEP

2

process does not require the use of solvents that can transesterify with fatty acid esters.

Our investigations led us to a new and surprisingly simple process for making new type of quaternary compounds whereof at least one of the nitrogen substituents contains at least one ester group, and to new intermediates. These compounds, and compositions comprising these compounds, have a good fabric softening performance and a better price/performance than the conventional fabric softeners. It is noted that the intermediates may be used as a fabric softener by themselves. Also, the new process offers advantages from an environmental viewpoint because epichlorohydrin is not used. Furthermore, in one of the preferred embodiments, the quaternization step of the amine is not performed towards the end of the synthesis of the surface active compound, but already on the low molecular weight amine. Hereby, the process is improved, because it is much simpler to separate and purify the low molecular weight quaternized amine than to perform such steps on the resulting surface active compound, if so desired. More specifically, during processing/washing of a surface active compound, there is the tendency that the compound is being dispersed. In another preferred embodiment, a trialkylamine is reacted with an epoxy alkene in the presence of an acid, in order to produce a quaternary intermediate. The process of this preferred embodiment obviates the use of epichlorohydrin as well as the use of undesired solvents. The quaternary intermediate can be esterified to give the preferred diesterquat fabric softeners. However, also the monoesterquat that is formed can be useful as a fabric softener.


The new quaternary compounds according to the invention are of the formula:




ACR 2691 PDEP

3


whereby Z is covalently bonded to the nitrogen atom and of the following formulae (I-IV)




(I),



(II)




(III)




(IV)

or isomers thereof with formulae:




(Ia)




(IIa)

ACR 2691 PDEP


4




(IIIa)




(Ib),



(IIb)




(IIIb)




(IVb)


5



(Ic)



(IIc), and



(IIIc)

whereby,

ACR 2691 PDEP

5

R_1 and R_2 are independently selected from linear or branched, saturated or unsaturated C_{6-22} hydrocarbyl,

R_3 is nothing or C_{1-20} hydrocarbyl,

R_4 is C_{1-6} alkyl, C_{1-6} alkylene, or independent Z,


5 R_5 is H, C_{1-6} alkyl, independent Z, or the residue of the quaternizing agent, such as C_{1-30} alkyl or alkenyl, preferably, C_{1-7} alkyl or alkenyl,

R_6 is C_{1-6} alkyl or independent Z,

n is 1 or 2, and

X^- is an ion selected from Cl^- , Br^- , I^- , F^- , $CH_3SO_4^-$, $C_2H_5SO_4^-$, $H_2PO_4^-$, HPO_4^{2-} , PO_4^{3-} , $H_2PO_3^-$, HPO_3^{2-} , $H_2PO_2^-$, HPO_2^{2-} , nitrate⁻, formate⁻, acetate⁻, propionate⁻, tartrate⁻ and benzoate⁻, whereby the total charge of the anions equals the total charge of the cations. The compounds may be used after purification and/or isolation. Preferably, they are part of a composition comprising more than one of the compounds of formula I-IV, and isomers thereof, since extensive isolation steps of the individual compounds can then be refrained from. Purification may include a bleaching and/or adsorption step to convert and/or remove chemicals that cause discoloration.

Preferred compounds are of the formula (I), written in full below



X^- (V)

or isomers thereof, whereby R_1 - R_6 have the meaning as presented above.

More preferably, the compounds of the above formulae I-IV, or the isomers thereof, are of the formula wherein R_1 and R_2 are C_{12-18} . Even more preferably,

25 R_1 and R_2 have a carbon distribution within said range as can be found in

ACR 2691 PDEP

6

commercial fatty acids. Also, preferred compounds of formulae I-IV, or isomers thereof, are of the formula wherein R_4 and R_5 are methyl or ethyl.

Other preferred compounds of formulae I-IV, or isomers thereof, are of the formula wherein R_5 is methyl or ethyl.

5 Preferably n is 1.

Further preferred compounds of formulae I-IV, or isomers thereof, are of the formula wherein X is chloride, methyl sulfate, or ethyl sulfate.

10 Another embodiment of the invention is the process to make the compounds according to formulae I-IV and/or isomers thereof. This process involves the reaction of an unsaturated epoxide with an amine, preferably a dialkylamine or trialkylamine, after which the unsaturated, hydroxy group substituted intermediate is reacted with, on average, 1-2 moles of fatty acid groups per mole of hydroxy group of the intermediate to form an ester. Using this ratio of
15 fatty acid groups will ensure that at least part of the unsaturated bonds are reacted as well to form the preferred diesters.

It is noted that F.F. Blicke and J.H. Biel disclosed in J. Am.Chem.Soc. 79, 5508-5512, 1957, that 1,2-epoxy-3-butene can be reacted with aqueous
20 dimethylamine hydrochloride to form 1-dimethylamino-2-hydroxy-3-butene. However, it is not disclosed that such a compound can be further reacted with 1-2 moles of fatty acid per mole of this product to form the compounds according to the invention with good fabric softening performance.


25 Another embodiment of the invention concerns amines that can be formed as intermediates by reacting a dialkylamine with an unsaturated epoxide, followed by esterification. These intermediates are of the formula $R_4(R_5NZ)_n$, wherein R_4 , R_5 , n , and Z have the meaning as specified above. These intermediates may be used as fabric softeners themselves. However, preferably they are quaternized

ACR 2691 PDEP


7

In conventional ways with agents of formula R_3X , in order to give the preferred products of formula I-IV and isomers thereof.

- 5 A further embodiment of the invention is formed by the intermediate products that are formed by reacting a trialkylamine with an unsaturated epoxide in the presence of an acid. Preferably these compounds are of the formula



or the isomers thereof according to the formula



- 10 wherein R_3 - R_6 and X have the meaning as specified above.

These intermediates can be easily transformed in the desired compounds of formula I-IV by direct or transesterification. The products of formula VI, or the isomers thereof, may themselves be used as a fabric softener. Therefore, a composition comprising compounds I-IV may also contain intermediates of

15 formula VI, without that the fabric softening properties are adversely affected.


- A further embodiment of the present invention is the use of the compounds according to formulae I-VI, or the isomers thereof, as a fabric softener. Preferably, the compounds are of formula I or the isomers thereof. The
- 20 products are well-suited for this use because of their expected biodegradability, due to the two ester functions in the molecule, and their price/performance. It is noted that it is known in the art to further improve the performance of fabric softening compositions by combining the fabric softening compounds with a performance booster selected from the group consisting of cationic and non-
- 25 ionic surfactants. When used in this fashion, the fabric softening compounds are even more effectively deposited on the textile fabric.

ACR 2691 PDEP

8

The amine that is reacted with the unsaturated epoxide is of the structure $R_4[R_5R_6N]_n$, or the protonated form thereof with structure $R_4[R_5R_6N^+H]_n X^-$, wherein R_4 , R_5 , R_6 , n , and X^- have the meaning as defined above. Preferably, a
 5 dialkylamine or trialkylamine is reacted with the unsaturated epoxide. Preferably n is 1. Of amines with n is 2, ethylene diamine is preferred.

The unsaturated epoxide that can be used are preferably 1,2-epoxyalkenes of the formula



Preferred 1,2-epoxyalkenes are 1,2-epoxy-3-butene, 1,2-epoxy-4-pentene, 1,2-epoxy-5-hexene, 1,2-epoxy-6-heptene, 1,2-epoxy-3-pentene, 1,2-epoxy-3-hexene, 1,2-epoxy-3-heptene, and 1,2-epoxy-4-hexene. More preferred 1,2-epoxyalkenes are 1,2-epoxy-3-butene, 1,2-epoxy-3-pentene, 1,2-epoxy-3-hexene, and 1,2-epoxy-3-heptene. Most preferred is 1,2-epoxy-3-butene.
 15

At least n mole of 1,2-epoxyalkene is to react with one mole of $R_4[R_5R_6N]_n$, or the protonated form thereof with structure $R_4[R_5R_6N^+H]_n X^-$, according to the invention. However, if a monoalkylamine or ammonia is used to make the
 20 indicated dialkylamine or trialkylamine *in situ* by first reacting it with 1,2-epoxyalkene then in total up to four moles of 1,2-epoxyalkene can react per mole of amine.

The ester functions in the compounds of the invention typically are derived from
 25 saturated or unsaturated, linear or branched C_{6-30} , preferably C_{8-22} , more preferably C_{12-18} , most preferably naturally occurring, fatty acids, optionally substituted with, .g., one or more hydroxy groups. Preferred fatty acids used in making the compounds of the invention include coconut, palm, palm kernel,

ACR 2691 PDEP

9

soya, oleic, tallow, rapeseed, canola, behenic, eruca fatty acids, and mixtures thereof. Preferably a fatty acid mixture is used comprising at least 50 percent by weight (%w/w) of C₁₂₋₁₈ fatty acids.

The acids may be used as such in a conventional direct esterification process, but also derivatives can be used, such as the corresponding acid chlorides or (mixed) anhydrides. In transesterification reactions typically a fatty acid ester is used. In such transesterification reactions the methyl, ethyl, and/or glycerol esters of the acids are preferably used. Most preferred are mono-, di- and/or triglycerides of the acids.

Preferably 50-100 percent, on a molar basis, of the hydroxy functions of the 1-amino-2-hydroxy-alkene intermediate, that is formed after reacting amine and 1,2-epoxyalkene, are esterified. More preferably, 75-100 molar percent of the hydroxy groups is esterified. Also, preferably 50-100 percent, on a molar basis, of the unsaturated functions of the 1-amino-2-hydroxy-alkene intermediate is reacted with fatty acid to give an ester function. More preferably, 75-100 molar percent of the alkene functions is esterified.

If a dialkylamine was used in the reaction with the 1,2-epoxyalkene, then the resulting diester bearing amine is to be quaternized in order to achieve the preferred fabric softening compounds according to the invention. The quaternization step is conventional, using agents of formula R₃X, wherein R₃ and X have the meaning as defined above. Examples of conventional quaternizing agents include, but are not limited to, dimethyl sulphate, diethyl sulphate, methyl chloride, methyl bromide, methyl iodide, benzyl chloride, benzyl bromide, allyl chloride, and allyl bromide.

However, in a preferred embodiment of the invention, the raw material is not a dialkylamine but a trialkylamine. When such trialkylamines are reacted with the unsaturated epoxide in the presence of a conventional activator for the ring

ACR 2691 PDEP

10

opening of epoxides, typically an acid, such as hydrochloric acid, sulfuric acid, hydrochloric salts of amines, the hydrochloric salt of pyridine, and the like, then the corresponding quaternary ammonium group-bearing unsaturated alcohol is formed. These alcohols can be converted to the corresponding mono- and/or diesterquaternary ammonium compounds by appropriate esterification. The esterification can be a direct esterification or a transesterification, both processes being known in the art for conventional esterification processes. Preferably, C₆₋₂₂ fatty acid groups are introduced in said esterification process since such groups are needed to obtain the desired fabric softening effect.

10

The resulting quaternary ammonium compounds, having a nitrogen substituent with at least one ester group, can be used as is or after purification and/or isolation. The compounds, preferably the diester-bearing compounds, are preeminently suited for use as a biodegradable fabric softener.

15

The invention is elucidated by the following, non-optimized, examples.

Materials used:

Hypophosphorous acid ex Aldrich

20 Stearic acid ex Merck

Dimethylaminobutenol ex Eastman

Butadiene monoxide (1,2-epoxy-3-butene) ex Aldrich

Procedure

25 A mixture of N-(2-hydroxybut-3-en-1-yl)-N,N,N-trimethylammonium chloride and of N-(1-hydroxybut-3-en-2-yl)-N,N,N-trimethylammonium chloride was produced by charging a 10 ml. flask, equipped with a stirrer, with a mixture of 2.55g (26.7 mmol) trimethylaminehydrochloride, 0.06g (0.5 mmol) of 47.7 %w/w of trimethylamine in water and 2g water and cooling the mixture to 10°C. Then

2.09g (29.9 mmol) of 1,2-epoxybutene was added dropwise during 1 hour while the temperature was maintained at 10°C. Thereafter, the mixture was heated to 40°C and further reacted for 2 hours. Subsequently, 1 ml of 1M HCl was added after which the water was evaporated at atmospheric pressure. The desired
5 mixture remained.

Example 1

In a one necked flask of 100ml, equipped with stirrer and water separator, 1.58 g (10.2 mmole) of a mixture of N,N-dimethyl-1-aminobut-3-en-2-ol hydrochloride
10 and N,N-dimethyl-2-aminobut-3-en-1-ol hydrochloride with a purity of 97.5 % by weight (%w/w) was combined with 6.07 g (21.4 mmole) stearic acid. To the mixture, 1 ml of 50 %w/w of hypophosphorous acid in water was added as a catalyst. The mixture was stirred for 4 hours at 160°C at a reduced pressure of 1 mbar.

15 A mixture of 2,3-di(stearoyloxy)but-1-yl)dimethylaminehydrochloride and 1,3-di(stearoyloxy)but-2-yl)dimethylaminehydrochloride was formed with a yield of 24 mole%, based on the amino compound.

The product can be quaternized in conventional ways.

20 Example 2

In a one necked flask of 100ml, equipped with stirrer and water separator, 1 ml of 50% by weight hypophosphorous acid in water was added to a mixture of 1.71g (10.3 mmol) N-(2-hydroxybut-3-en-1-yl)-N,N,N-trimethylammonium
chloride / N-(1-hydroxybut-3-en-2-yl)-N,N,N-trimethylammonium chloride and
25 5.96g (21.0 mmol) stearic acid. While stirring, the mixture was reacted at 160°C for 4 hours under vacuum at a pressure of 1.33 mbar.

A mixture of 2,3-di(stearoyloxy)but-1-yl)trimethyl ammonium chloride (or 1-N,N,N-trimethylammoniumchloride-butane-2,3-distearate) and 1-3-di-

ACR 2691 PDEP

12

(stearyloxy)but-2-yl)trimethylammonium chloride was formed with a yield of 49 mole%, based on the ammonium compound.


The product has good fabric softening properties.

ACR 2691 PDEP


13

Claims


1. Quaternary ammonium compounds of the formula $R_4[R_3R_5N^+Z]_n X^-$, whereby Z is covalently bonded to the nitrogen atom and selected from the group of following formulae (I-IV)




(I),



(II),



(III),



(IV),

- and isomers thereof, whereby
 R_1 and R_2 are independently selected from linear or branched, saturated or unsaturated C_{6-22} hydrocarbyl,
 R_3 is nothing or C_{1-20} hydrocarbyl,
 R_4 is C_{1-8} alkyl, C_{1-8} alkylene, or independent Z,

ACR 2691 PDEP

14


R_5 is H, C_{1-8} alkyl, independent Z, or the residue of the quaternizing agent, such as C_{1-30} alkyl or alkenyl, preferably, C_{1-7} alkyl or alkenyl,

R₆ is C₁₋₉ alkyl or independent Z,

n is 1 or 2, and


- 5 X^- is an ion selected from Cl^- , Br^- , I^- , F^- , $CH_3SO_4^-$, $C_2H_5SO_4^-$, $H_2PO_4^-$, HPO_4^{2-} , PO_4^{3-} , $H_2PO_3^-$, HPO_3^{2-} , $H_2PO_2^-$, HPO_2^{2-} , nitrate⁻, formate⁻, acetate⁻, propionate⁻, tartrate⁻ and benzoate⁻, whereby the total charge of the anions equals the total charge of the cations.

- 10 2. Compounds according to claim 1 of the formula



wherein R₁-R₆, n, and X⁺ have the meaning as given in claim 1.

- 3. Compounds according to claim 2 of formula**



wherein R₁, R₂, R₄-R₆ and X⁻ have the meaning as given in claim 1.

4. Compounds according to any one of claims 1-3 wherein R_1 and R_2 are independently selected from linear or branch d, saturated or unsaturated C_{12-18} alkyl groups.

ACR 2691 PDEP


15

5. Compounds according to any one of the preceding claims, characterized in that R_4 and R_6 are methyl.

5 6. Compounds according to any one of the preceding claims wherein X^- is chloride, methyl sulfate or ethyl sulfate.

10 7. Intermediates for making one or more of the compounds of the previous claims according to the formula $R_4[R_6NZ]_n$, wherein R_4 , R_6 , n , and Z have the meaning given in claim 1.

8. Intermediates for making one or more of the compounds of claims 1-6 according to the formula




wherein R_3 - R_6 , n , and X have the meaning given in claim 1.

15

9. Compositions comprising one or more of the compounds according to any of the previous claims.

10. Process to make compounds of claim 1 comprising the steps of:

20

- reacting an unsaturated epoxide of formula  with an amine or protonated amine, of formulae $R_4[R_5R_6N]_n$ or $R_4[R_5R_6N^+H]_n X^-$, wherein R_3 , R_4 , R_5 , R_6 , n , and X^- have the meaning as given in claim 1, and

ACR 2691 PDEP

16

- esterification of the intermediate with, on average, 1-2 moles of fatty acid derivatives, comprising moieties $R_1-C(O)-$, $R_2-C(O)-$ or mixtures thereof, per mole of OH groups of the intermediate,
- an optional conventional quaternization either before or after said esterification step.

5

11. Process according to claim 10, characterized in that a trialkylamine is reacted with the unsaturated epoxide.

10 12. Process according to claims 10 or 11, characterized in that a product according to any one of claims 2-6 is formed.

13. Use of a compound or composition according to any one of claims 1-9 as a fabric softener.

15

14. Use according to claim 14 wherein the compound is used in combination with a conventional performance booster selected from the group consisting of cationic and non-ionic surfactants.


20

ACR 2691 PDEP

17

Abstract

Products, intermediates, a process to make such products, and the use of such products as a fabric softener is presented whereby said products are preferably



5 of formula X^- or isomers thereof,

whereby R_1 and R_2 are independently selected from linear or branched, saturated or unsaturated C_{6-22} hydrocarbyl,

R_3 is nothing or C_{1-20} hydrocarbyl,

R_4 is C_{1-8} alkyl or independent Z,

10 R_5 is H, C_{1-8} alkyl, independent Z, or the residue of the quaternizing agent, such as C_{1-30} alkyl or alkenyl, preferably, C_{1-7} alkyl or alkenyl,

R_6 is C_{1-8} alkyl or independent Z, and

X^- is an ion selected from Cl^- , Br^- , I^- , F^- , $CH_3SO_3^-$, $C_2H_5SO_3^-$, $H_2PO_4^-$, HPO_4^{2-} , PO_4^{3-} , $H_2PO_3^-$, HPO_3^{2-} , $H_2PO_2^-$, HPO_2^{2-} , nitrate, formate, acetate, propionate, tartrate

15 and benzoate, whereby the total charge of the anions equals the total charge of the cations and said process concerns the reaction of an unsaturated epoxide with an amine or a protonated amine, esterification of the formed intermediate, and optional quaternization.

THIS PAGE BLANK (USPTO)